



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

PAVLIK

Atty. Ref.: 4442-7

Serial No. 10/678,173

TC/A.U.: 3752

Filed: October 6, 2003

Examiner: unknown

For: WATER MISTING SYSTEM AND METHOD

* * * * *

February 6, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Supplementing applicant's Information Disclosure Statement dated October 6, 2003, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.


The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
Michael J. Keenan
Reg. No. 32,106

MJK:ljb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100



**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

4442-7

APPLICANT

PAVLIK

SERIAL NO.

10/678,173

(Use several sheets if necessary)

FILING DATE

October 6, 2003

TC/A.U.

3752

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	5,330,104	7/1994	Marcus			

FOREIGN PATENT DOCUMENTS

DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.